

## RAY 1000 C/M



<b>Part number</b>	04032894
<b>Lampholder:</b>	cabla
<b>Light Source:</b>	HALOGEN METAL HALIDE LAMPS (HIE)
<b>Wattage:</b>	1x1000 W
<b>Finish:</b>	GR-94 / Metallic grey / Textured
<b>Insulation class:</b>	I
<b>Degree of protection:</b>	IP66
<b>IK-J-xxIP:</b>	IK07 2.6J xx5
<b>Optic:</b>	MEDIUM CIRCLE REFLECTOR
<b>Optic Beam:</b>	32°
<b>Ta MIN luminaire:</b>	-25°
<b>Ta MAX luminaire:</b>	40°




### Description


Metal halide floodlight for indoor and outdoor lighting, comprising:

- Die-cast painted aluminium housing and trim
- Flat tempered glass diffuser
- Extra pure polished aluminium reflectors
- Anti-aging silicone gasket
- Electrical wiring box with ignitor, supplied with the luminaire, made of technopolymer reinforced with glass fibre
- Automatic line isolator switch in LCP
- Internal wiring in nickel-plated copper with THT silicone insulation
- Ceramic lamp supports with stainless steel check spring
- Stainless steel external screws
- Fully integrated stainless steel safety spring clips
- Painted steel bracket
- Patented anti-vacuum device
- Graduated goniometer for aiming purposes
- Retractable stainless steel aiming device
- Adequate power supply units, available as accessories, must be used for all floodlights

### Photometric data



### Technical drawings



## CONTROL GEAR


### RAY 1000 HQI-TS D/S



14013320  
Aluminium power supply unit IP65, 230 V - 50 Hz, class I, for 1000W high pressure sodium and metal halide lamps with fuse and without ignitor




14020701  
Power supply unit 230 V - 50Hz, class I, on galvanised steel plate for high pressure sodium and metal halide lamps with fuse and without ignitor



14260003  
Set includes power supply unit and power-factor capacitor for 1000W high pressure sodium and metal halide lamp, 230V 50 Hz

## OPTIONAL ACCESSORIES

### RAY



14013720  
Stainless steel wire guard



14166494  
RAY Bracket with slots to allow the luminaire to be turned transversally and longitudinally